

# ERGONOMICS



## FIND THE BEST MONITOR HOLDER FOR YOU



### TOP SELLING

#### NOVUS CLU



**Clu I**  
Support arm for 1 screen  
Single extension arm  
For 1 screen up to 27" (7 kg max)  
Offset 283 mm

- N-990+1011+000
- N-990+1018+000
- N-990+1019+000



**Clu II**  
Support arm for 1 screen  
Double extension arm  
For 1 screen up to 27" (7 kg max)  
Offset 433 mm

- N-990+2011+000
- N-990+2018+000
- N-990+2019+000



**Clu duo**  
Double screen support arm  
2 single extension arms  
For 2 screens up to 27" (2 x 7 kg max)  
Offset 333 mm

- N-990+4011+000
- N-990+4018+000
- N-990+4019+000

#### NOVUS CLU PLUS



**Clu Plus**  
Support arm for 1 screen  
Double extension arm  
For 1 screen up to 40" (15 kg max)  
Offset 575 mm

- N-991+3011+000
- N-991+3018+000
- N-991+3019+000



**Clu Plus X2**  
Support arm for 2 screens  
Single extension arm  
For 2 screens up to 32" (15 kg max)  
Offset 475 mm

- N-992+2011+000
- N-992+2018+000
- N-992+2019+000



**Clu Plus X3**  
Support arm for 3 screens  
Single extension arm  
For 3 screens up to 27" (15 kg max)  
Offset 375 mm

- N-993+2011+000
- N-993+2018+000
- N-993+2019+000

#### NOVUS CLU

The all-round monitor holder with gas spring for screens up to 7 kg : our flexible Novus Clu monitor holders allow you to customise your workstation with up to 2 monitors.



#### NOVUS CLU PLUS

Our sturdy Novus Clu Plus monitor holders can accommodate 2 or even 3 monitors at once, positioned exactly as you need them. The monitor holders allow you to ergonomically adjust large curved displays and other large monitors up to 15 kg flexibly and with ease!



#### NOVUS TSS

The heavy duty solution among our monitor holders! Holders from our professional Novus TSS series are extremely sturdy and able to withstand heavy loads, perfect for screens up to 15 kg! The column system is specially developed for technically demanding workstations and comes in a clever modular design – the possibilities are endless!



## APPLICATIONS

**MY 2.0** : For small and lightweight monitors in the office or at home

**Clu** : Professional solutions for all workstations with up to 2 screens. The ergonomic and efficient all-rounder for screens up to 27 inches.

**Clu plus** : The powerful solution for large, heavy screens. Up to 3 screens can be ergonomically attached to one support arm.

**TSS** : The modular system for efficiently attaching up to 8 monitors to one workstation. The specialist for challenging environments, such as control rooms, terminals or broker workstations.

## ERGONOMICS



## SPECIFIC CLAMPS FOR ALL TYPES OF INSTALLATION

## RANGE OF ARTICULATED ARMS

NOVUS MY 2.0



NOVUS Clu



NOVUS Clu Plus



NOVUS TSS



## FINISHES

silver

silver, white, black

silver, white, black

silver, anthracite from 20 units

## NUMBER OF POSSIBLE SCREENS

1-2




1-2



1-3



1-8



## MAXIMUM SCREEN LOAD (PER ARTICULATED ARM)



## SCREEN ADJUSTMENT

static


dynamic

dynamic

static

		
Height 13-25 mm Depth 25 mm	Height 13-25 mm Depth 65 mm	Height 14-60 mm Depth 38 mm
<input type="checkbox"/> N-898+0021+001 <input checked="" type="checkbox"/> N-898+0028+001 <input type="checkbox"/> N-898+0029+001	<input type="checkbox"/> N-898+0021+002 <input checked="" type="checkbox"/> N-898+0028+002 <input type="checkbox"/> N-898+0029+002	<input type="checkbox"/> N-898+0021+004 <input checked="" type="checkbox"/> N-898+0028+004 <input type="checkbox"/> N-898+0029+004
		
Height 13-25 mm Depth 25 mm	Height 14-40 mm Depth 25 mm	Height 13-25 mm Depth 65 mm
<input type="checkbox"/> N-898+0041+001 <input checked="" type="checkbox"/> N-898+0048+001 <input type="checkbox"/> N-898+0049+001	<input type="checkbox"/> N-898+0041+002 <input checked="" type="checkbox"/> N-898+0048+002 <input type="checkbox"/> N-898+0049+002	<input type="checkbox"/> N-898+0041+003 <input checked="" type="checkbox"/> N-898+0048+003 <input type="checkbox"/> N-898+0049+003

# ERGONOMICS



**COMFORTABLE OPERATION :**  
Automatic presence and light.  
Light control via the multisensor

**75%** of the light provides indirect illumination.

**25%** of the light falls directly onto the desk space.

**FINISHES :**



**ALTERNATIVE MOUNTING OPTIONS :**



# ILLUMINATE WORKSTATIONS WITH STYLE.

There is an increasing need for flexible and customised lighting concepts for office workers. These solutions have to meet relevant energy efficiency specifications and standards, but visual and ergonomic considerations are also important. The Novus Attenzia lighting series puts the spotlight on the needs of the people behind the desks. Tasteful design, superior functionality and highest quality “Made in Germany” make Attenzia standing and desktop luminaires the ideal choice for perfectly lit workstations.

**HIGH QUALITY**

Light head and stand profile made of aluminum

**ADAPTABLE LIGHT**

Due to infinitely variable dimming function

**GOOD COLOUR RECOGNITION**

High color rendering index of > 80

**PERFECT ILLUMINATION**

high lamp luminous flux of

**neo+ :** 11.900 lm (3.000 K) and 12.421 lm (4.000 K)

**neo :** 12.000 lm (3.000 K) and 12.167 lm (4.000 K)

**ALMOST GLARE-FREE**

Very low direct glare due to a UGR value of **neo+ < 9 | neo < 13**

**EXTREMELY ENERGY EFFICIENT**

Luminous efficiency of lamps

**neo+ :** 139 lm/W (3.000 K) and 146 lm/W (4.000 K)

**neo :** 130 lm/W (3.000 K) and 133 lm/W (4.000 K)

**Attenzia neo+ 3.000 K**

- N-730+7001+000
- N-730+7008+000
- N-730+7009+000

**Attenzia neo+ 4.000 K**

- N-740+7001+000
- N-740+7008+000
- N-740+7009+000



## ATTENZIA TASK



### FINISHES :



### INFINITELY ADJUSTABLE JOINTS

For perfect positioning of the luminaire head

### AUTOMATIC SWITCH-OFF

Can be dimmed to any level and switches off automatically after 10 hours

### PERFECT ILLUMINATION

High luminaire luminous flux of 918 lm

### MATERIAL

High quality surface finish – aluminium arm and lamp head

### LED-TECHNOLOGY

The 49 LEDs have a lifetime of more than 50.000 hours

### COLOUR TEMPERATURES

Available in 3000 K and 4000 K

### Attenzia Task 3.000 K

100-240 V | 50-60 Hz, 49 LED

- N-730+1291+000
- N-730+1298+000
- N-730+1299+000

### Attenzia Task 4.000 K

100-240 V | 50-60 Hz, 49 LED

- N-740+1291+000
- N-740+1298+000
- N-740+1299+000



## ATTENZIA COMPLETE



### FINISHES :



### AUTOMATIC SWITCH-OFF

Can be dimmed to any level and switches off automatically after 10 hours

### MATERIAL

High quality surface finish – aluminium arm and lamp head

### LED-TECHNOLOGY

The 108 LEDs have a lifetime of more than 50.000 hours

### EXTREME HIGH LUMINOUS FLUX

1.708 lm provide the perfect illumination for challenging tasks in the workplace

### COLOUR TEMPERATURES

Available in 3000 K and 4000 K

### Attenzia Complete 3.000 K

100-240 V | 50-60 Hz, 108 LED

- N-730+2191+000
- N-730+2198+000
- N-730+2199+000

### Attenzia Complete 4.000 K

100-240 V | 50-60 Hz, 108 LED

- N-740+2191+000
- N-740+2198+000
- N-740+2199+000

## ERGONOMICS

