
# ☐ FIFTY-FULL

The Fifty-Full reception counter is a more complete, more modular and more customizable version of the Fifty-Fifty, thanks to its different modules.

Equipped with high and low modules, this new, modern and functional reception counter is especially well-suited to welcome DDA wheelchair users.



# **Reception counter** White - White





**Reception counter with central DDA** White - Black

# **Reception counter with right hand DDA** Black - Timber






Reception counter with left hand DDA and right hand return unit White - Black



FIFTY-FULL 🗀

# ☐ FIFTY-FULL

Reception counter with 90° corner and low reception desk on the right White - Nebraska







Reception counter with 90° corner and low reception desk on the right White - Nebraska

#### **CHARACTERISTICS**







Side

#### **TECHNICAL DESCRIPTION**

- 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.
- 25 mm thick Structurex® facing assembled with elegant 45° mitre cut serving as reception shelf for visitors.
- All worktops and sides are fitted with Ø 80 mm part drilled cable ports for cable management.
- Corner or intermediate modules can be added to the reception counter to adapt to changing requirements (fixing and juxtaposition by brackets and connecting plates), to ensure mobility and ergonomics of use.
- Adjustable screw feet of diameter 25 mm and range 10 mm to compensate for any unevenness in the floor.

(1) DDA = Disability Discrimination Act

Recommended for any installation of more than 3 aligned modules

# □ FIFTY-FULL








## • Straight COUNTERS





|   |       | Dim. (cm) | Ref. | Front panel + side finishes | Top + infill panel finishes |
|---|-------|-----------|------|-----------------------------|-----------------------------|
| Reception counter D 77 / H 114 / L 100 cm Infill panel L 60 cm        | . 100 | L 100     | DZ28 | +                           | +                           |
| Reception counter D 77 / H 114 / L 140 cm Infill panel L 120 cm       | 120   | L 140     | DZ29 | +                           | +                           |
| Reception counter<br>D 77 / H 114 / L 200 cm<br>Infill panel L 120 cm | 120   | L 200     | DM56 | +                           | +                           |
| Reception counter<br>D 77 / H 114 / L 280 cm<br>Infill panel L 120 cm | 120   | L 280     | DM58 | +                           | +                           |














# **1 COUNTERS** with right or left hand DDA<sup>(1)</sup>










|   |     |      |                             | RIGHT HAND DDA <sup>(1)</sup>     |      | ₽                             | LEFT HAND DDA <sup>(1)</sup>      |
|---|-----|------|-----------------------------|-----------------------------------|------|-------------------------------|-----------------------------------|
|   |     | Ref. | Front panel + side finishes | Leg + top + infill panel finishes | Ref. | a Front panel + side finishes | Leg + top + infill panel finishes |
| Reception counter<br>D 107,5 / H 114<br>L 202,5 cm<br>Infill panel L 60 cm  | 600 | DM64 | +                           | +                                 | DM66 | +                             | +                                 |
| Reception counter<br>D 107,5 / H 114<br>L 242,5 cm<br>Infill panel L 120 cm | 120 | DM68 | +                           | +                                 | DM70 | +                             | +                                 |



Single metal cable tray



D 13 / H 12 / Internal H 4 cm / L 60

AF051K

Aluminium

|            | Dim. (cm)   | ALUMINIUM Ref. | Ref.   | BLACK Ref. |
|------------|---|----------------|--------|------------|
| Cable port | Ø 80 mm<br>To fit into Ø 80 mm part drilled<br>cable port. Set of 2 | AX061K         | AX067S | AX065G     |



(1) DDA = Disability Discrimination Act

# FIFTY-FULL








## **1 COUNTERS** with low central reception desk



| NEW  |     |           |      |                             |                                      |  |
|--|-----|-----------|------|-----------------------------|--------------------------------------|--|
|  |     | Dim. (cm) | Ref. | Front panel + side finishes | <b>b</b> Top + infill panel finishes |  |
| Reception counter<br>D 77 / H 114 / L 300 cm<br>2 infill panels L 60 cm  | 300 | L 300     | DZ30 | +                           | +                                    |  |
| Reception counter<br>D 77 / H 114 / L 380 cm<br>2 infill panels L 120 cm | 120 | L 380     | DZ31 | +                           | +                                    |  |

## **1 COUNTERS** with central DDA<sup>(1)</sup>



|   |         | Dim. (cm) | Ref. | a Front panel + side finishes | Top + infill panel finishes |
|---|---------|-----------|------|-------------------------------|-----------------------------|
| Reception counter<br>D 107,5 / H 114 / L 300 cm<br>2 infill panels L 60 cm  | 60 300  | L 300     | DM60 | +                             | +                           |
| Reception counter<br>D 107,5 / H 114 / L 380 cm<br>2 infill panels L 120 cm | 120 380 | L 380     | DM62 | + []                          | +                           |

(1) DDA = Disability Discrimination Act











**1** COUNTERS with 90° corner and low reception desk on the right or on the left







| NEW   |     |        | RIGH                           | IT HAND RETURN              |        | LEFT HA                     | AND RETURN                  |  |
|---|-----|--------|--------------------------------|-----------------------------|--------|-----------------------------|-----------------------------|--|
|   |     | Ref. a | Front panel + side<br>finishes | Top + infill panel finishes | Ref. a | Front panel + side finishes | Top + infill panel finishes |  |
| Reception counter<br>D 200 / H 114<br>L 300 cm<br>Infill panel L 120 cm | 720 | DZ32   | +                              | +                           | DZ33   | +                           | +                           |  |
| Reception counter<br>D 240 / H 114<br>L 380 cm<br>Infill panel L 120 cm | 120 | DZ34   | +                              | +                           | DZ35   | +                           | +                           |  |

**1** U-SHAPED COUNTERS with 90° corner

and low reception desk on the right and on the left






| NEW   |     |      |                               |                             |  |
|---|-----|------|-------------------------------|-----------------------------|--|
|   |     | Ref. | a Front panel + side finishes | Top + infill panel finishes |  |
| Reception counter<br>D 200 / H 114<br>L 400 cm<br>Infill panel L 120 cm | 120 | DZ86 | +                             | +                           |  |
| Reception counter<br>D 240 / H 114<br>L 480 cm<br>Infill panel L 120 cm | 150 | DZ87 | +                             | +                           |  |



# □ FIFTY-FULL

#### **CONFIGURATIONS**

#### How to adapt your reception counter to your requirements starting from a pre-composed counter?







# FIFTY-FULL



## Intermediate EXTENSIONS

|  |                      | Dim. (cm)                          | Ref.         | Front panel<br>finish | Top<br>finish |
|--|----------------------|------------------------------------|--------------|-----------------------|---------------|
| <b>High intermediate units</b> D 72,5 / H 109 cm Must be placed as an intermediary unit                            | Rear view Front view | Extension L 100<br>Extension L 140 | DM72<br>DM73 | +                     | +             |
| Intermediate DDA <sup>(1)</sup> unit<br>D 107,5 / H 109 cm<br>Must be placed as an<br>intermediary unit            | Rear view Front view | L 100                              | DM74         | +                     | +             |
| NEW  Low intermediate units D 72,5 / H 74 cm  Must be placed as an intermediary unit                               | Rear view Front view | L 100<br>L 140                     | DZ36<br>DZ37 | +                     | +             |
| NEW  Low intermediate unit with 90° corner D 100 / H 74 cm Internal D 82 cm Must be placed as an intermediary unit | Front view           | L 100                              | DZ38         | +                     | +             |

# ☐ FIFTY-FULL







## **2** End **EXTENSIONS**

|   |  | RIGHT HAND RETURN                          | LEFT HAND RETURN                      |
|---|--|--|---------------------------------------|
|   | Dim. (cm)                              | Ref. Front panel Top<br>Ref. finish finish | Ref. Front panel Top<br>finish finish |
| NEW  Low return units D 72,5 / H 74 cm        | L 100<br>L 140<br>Rear view Front view | DZ39 +                                     | DZ41 +                                |
| <b>High return units</b><br>D 72,5 / H 109 cm | L 100<br>L 140<br>Rear view Front view | DM78 + L + L + L Rear view Front view      | DM76 + +<br>DM77 + +                  |

|  |                | Dim. (cm) | Ref. | Front panel<br>finish | Top<br>finish |
|--|----------------|-----------|------|-----------------------|---------------|
| End DDA <sup>(1)</sup> unit<br>D 107,5 / H 109 cm<br>Must be placed at the end of<br>reception counter, right or left hand | Rear view Fron | L 102,5   | DM75 | +                     | +             |

(1) DDA = Disability Discrimination Act











## **3** INFILL PANELS

|  | Dim. (cm) | Ref.  | Infill panel finish |  |
|--|-----------|-------|---------------------|--|
| Infill panels<br>D 20,2 / H 47 cm                            | L 60      | BY253 | +                   |  |
| To be placed on an intermediate high module or return module | L 120     | BY273 | +                   |  |

| ► Options  |            |   | ALUMINIUM | WHITE  | BLACK  |  |
|--|------------|---|-----------|--------|--------|--|
| - Options  |            | Dim. (cm)   | Ref.      | Ref.   | Ref.   |  |
| Cable port covers  |            | Ø 80 mm<br>To fit into Ø 80 mm part drilled<br>cable port. Set of 2 | AX061K    | AX067S | AX065G |  |
| Single metal cable tray  |            | D 13 / H 12 / Internal H 4 / L 60<br>To be fixed to back panel      | AF051K    | _      | _      |  |
| Square support leg* *Recommended for any installation of more than 3 aligned modules |            | 50 x 50<br>For H 74 unit  | DN011K    | DN017S | DN015G |  |
| <b>Metal screen support</b> For maximum 20 inch screen                               | iol<br>iol | D 18 / H 22,5 / L 24  | _         | _      | BY295G |  |



